

Lettre

Date ou temps

Présentation

Exemples

G

Siècle

[Texte](#)

AD

y

Année

[Year](#)

1996

;

96

M

Mois de l'année

[Month](#)

July ; Jul

W

Semaine dans l'année

[Number](#)

27

W

Semaine du mois

[Number](#)

2

D

Jour de l'année

[Number](#)

189

d

Jour du mois

[Number](#)

10

F

Jour de la semaine

[Number](#)

2

E

Talend: Format de date et de temps

Jour de la semaine

[Text](#)

Tuesday

;

Tue

a

Am/pm

[Text](#)

PM

H

Heure du jour (0-23)

[Number](#)

0

k

Heure du jour (1-24)

[Number](#)

24

K

Heure en am/pm (0-11)

[Number](#)

0

h

Heure en am/pm (1-12)

[Number](#)

12

m

Minute

[Number](#)

30

S

Seconde

[Number](#)

55

S

Milliseconde

[Number](#)

978

Z

Time zone

[General](#)
[_time zone](#)

Pacific Standard Time

;

PST

Z

Time zone

[RFC](#)
[822 time zone](#)

-0800

Exemples pratiques d'utilisation :

Normal
0

21

false
false
false

FR-CH
X-NONE
X-NONE


```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Tableau Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0cm 5.4pt 0cm 5.4pt;
mso-para-margin-top:0cm;
mso-para-margin-right:0cm;
mso-para-margin-bottom:10.0pt;
mso-para-margin-left:0cm;
line-height:115%;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri","sans-serif";
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
```

Talend: Format de date et de temps

```
mso-bidi-font-family:"Times New Roman";  
mso-bidi-theme-font:minor-bidi;  
mso-ansi-language:FR-CH;  
mso-fareast-language:FR-CH;}
```

***TalendDate.formatDate("yyyy-MM-dd'T'HH:mm:ss.SSSZ",
row1.DTCREATION)***

2014-04-11T12:08:56.235-0700

Â

Normal
0

21

false
false
false

FR-CH
X-NONE
X-NONE


```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Tableau Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0cm 5.4pt 0cm 5.4pt;
mso-para-margin-top:0cm;
mso-para-margin-right:0cm;
mso-para-margin-bottom:10.0pt;
mso-para-margin-left:0cm;
line-height:115%;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri","sans-serif";
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
```


Talend: Format de date et de temps

mso-bidi-theme-font:minor-bidi;
mso-ansi-language:FR-CH;
mso-fareast-language:FR-CH;}

Date et temps

R  sultat

"yyyy.MM.dd G 'at' HH:mm:ss z"

2001.07.04 AD at 12:08:56 PDT

"EEE, MMM d, 'yy"

Wed, Jul 4, '01

"h:mm a"

12:08 PM

"hh 'o'clock' a, zzzz"

Talend: Format de date et de temps

12 o'clock PM, Pacific Daylight Time

"K:mm a, z"

0:08 PM, PDT

"yyyy.MMMM.dd GGG hh:mm aaa"

02001.July.04 AD 12:08 PM

"EEE, d MMM yyyy HH:mm:ss Z"

Wed, 4 Jul 2001 12:08:56 -0700

"yyMMddHHmmssZ"

010704120856-0700

"yyyy-MM-ddT#39;T#39;HH:mm:ss.SSSZ"

2001-07-04T12:08:56.235-0700

Â

Référence ID de l'article: #1112

Auteur: Michel Preti

Dernière mise à jour: 2014-04-11 08:57